

INATECH®

Packaging Supplies & Equipment

It's all about quality!

FISATEHNICA

MASINA SEMIAUTOMATA DE SIGILAT CUTII EASY PAPER 50 SB



INATECH PACKAGING
Strada Tudor Vladimirescu, Nr. 393
Domnești - Ilfov
Telefon / Fax: 021 448.03.58

Strada Anghel I. Saligny, Nr. 40, Oradea

office@inatech.ro

INATECH®

Packaging Supplies & Equipment

www.inatech.ro
www.ifoam.ro
www.inatech-shop.ro

MASINA SEMIAUTOMATA DE SIGILAT CUTII

EASY PAPER 50 SB

PRODUS

MASINA SEMIAUTOMATA DE SIGILAT CUTII EASYPAPER 50 SB

DESCRIERE

Masina de sigilat cutii cu banda umectabila EASYPAPER 50SB este semiautomata si echipata cu un sistem de economisire a energiei. Transportoarele cu role si un sistem de inchidere cu 3 clapete pentru inchiderea perfecta a cutiei fac aceasta masina alegerea potrivita pentru orice utilizare. Atingeti partea superioara si inferioara a cutiei cu banda umectabila cu adeziv pe baza de amidon.

Masina de sigilat cutii EASYPAPER 50 SB sigileaza partea inferioara si superioara a cutiei cu banda autoadeziva. Este echipat cu un sistem de inchidere cu 3 clape pentru a facilita operatia de inchidere.

De asemenea, masina de sigilat foloseste banda umectabila, astfel sustinand o ambalare eco friendly.

UTILIZARE

Masina poate fi utilizata de operatori nespecializati, deoarece necesita operatii de reglare foarte simple. Sigilarea cutiei are loc prin intermediul a doua curele laterale de actionare (actionate de doua motoare), asigurand o uniformitate maxima. Rezultatul este o aliniere perfecta a clapelor si, prin urmare, o etansare optima, care este realizata de capetele de lipire performante.

	DIMENSIONI SCATOLE BOX DIMENSION			NASTRO ADESIVO ADHESIVE TAPE	
	MINIMO MIN	MASSIMO MAX		TIPO TYPE	MASSIMO MAX
LUNGHEZZA LENGTH	180 mm	∞	50 mm	PP PVC KRAFT	990 mt
LARGHEZZA WIDTH	130 mm	500 mm	75 mm	PP PVC KRAFT	990 mt
ALTEZZA HEIGHT	130 mm	480 mm	-	-	-

MASINA SEMIAUTOMATA DE SIGILAT CUTII

EASY PAPER 50 SB

**SPECIFICATII
TEHNICE**

CARACTERISTICA	U/M	VALOARE
DIMENSIUNE MASINA	mm (L x l x h)	1932 x 1173 x 1390 – 1610
GREUTATE MASINA	kg	280
CAP DE BANDA	mm	50-75
TIP DE INCHIDERE	-	Superioara si inferioara
BANDA ADEZIVA	-	hartie kraft umedctabila (cu filament)
ALIMENTARE	V	220
FRECVENTA ALIMENTARE	Hz	50/60
PRESIUNEA AERULUI	bari	6
CONSUMUL DE AER	litri/min	5/6
VITEZA DE TRANSFER	m/min	12
INALTIMEA BLATULUI DE LUCRU	mm	700 - 820
DIMENSIUNE MINIMA PRODUS	mm (L x l x h)	180 x 130 x 130
DIMENSIUNE MAXIMA PRODUS	mm (L x l x h)	∞ x 550 x 480