

INATECH®

Packaging Supplies & Equipment

PALLET SHIPPER 910 / 1210

TECHNICAL DATA



INATECH®

Packaging Supplies & Equipment

INATECH Packaging
No. 393, Tudor Vladimirescu Street
Domnesti - Ilfov County
Phone / Fax: 021 448.03.58

No. 40, Anghel I. Saligny Street, Oradea

office@inatech-group.com

www.inatech-group.com

PRODUCT**PALLET SHIPPER****DESCRIPTION****NO THAWING**

At temperature range: +2 to +8°C

The systems with this symbol can be directly packed with water based refrigerants with a temperature of up to 20°C without thawing.

YEAR ROUND PACK OUT (UNIVERSAL)

At temperature range +2 to +8°C / +15 to +25°C

The systems with this symbol are (optionally) available with year round pack outs (universal solution). The frozen range (< 15°C) always has a universal solution.

MODULAR SYSTEM

The systems with this symbol can be individually adjusted in height and capacity of the box by adding optional stacking frames.

STANDARD PACK SIZE

The systems with this symbol can be equipped with identical refrigerant packs. By changing the pack set different temperature ranges and durations can be covered.

SPECIAL FOAM | PREMIUM

The systems with this symbol are available in a special robust foam material.

SEASONAL PACK OUT Depending on the season

Different Foam Bricks and/or different temperature of the Foam Bricks (Pallet Shipper 910) and different refrigerants and/or different temperature of the refrigerants (Pallet Shipper 1210) depending depending on the outside temperature.

Seasonal solutions can be lighter in weight than universal year round solutions, but also more susceptible to fluctuating outside temperatures.

"Seasonal" solutions are differentiated in a summer and a winter assembly:

- **summer** - for warm outside temperatures, not suitable for winter conditions
- **winter** - for colder outside temperatures, not suitable for summery conditions
- **summer / winter** - Same Foam Bricks (Pallet Shipper 910) in summer and winter, but different temperature of the Foam Bricks.

The same Foam Bricks (Pallet Shipper 910) can be used in summer and winter season. They need to have different temperatures when inserted into the box depending on the outside temperature. This means that the refrigerant packs used for summer conditions can not be used in the same way as in winter seasons (and vice versa).

- **summer / winter** - Same refrigerants (Pallet Shipper 1210) in summer and winter, but different temperature of the refrigerants.

The same refrigerants (Pallet Shipper 1210) can be used in summer and winter season. They need to have different temperatures when inserted into the box depending on the outside temperature. This means that the refrigerant packs used for summer conditions can not be used in the same way as in winter seasons (and vice versa).

DESCRIPTION

UNIVERSAL PACK OUT Year round

Same refrigerant packs , same temperature

"Universal" solutions ensure a consistent packaging process throughout the year. In both summer and winter season, the same Foam Bricks with the same temperature can be used. This reduces mistakes in handling and preparing of the thermal system and simplifies the packaging processes.


UNIVERSAL PACK OUT Year round

Same refrigerant packs, same temperature

"Universal" solutions ensure a consistent packaging process throughout the year. In both summer and winter season, the same refrigerants with the same temperature can be used. This reduces mistakes in handling and preparing of the thermal system and simplifies the packaging processes.

PRODUCT RANGE

Pallet Shipper 910			
CHARACTERISTICS		U/M	VALUE
Dimensions product space	LENGTH	mm	1242
	WIDTH		842
	HEIGHT		870
Outer dimensions	LENGTH	mm	1450
	WIDTH		1050
	HEIGHT		1283
Payload volume		liters	aprox. 910
Temperature winter	5 days	°C	+ 15 up to + 25
	5 days		+ 2 up to + 8
	upon request		< - 15
Temperature summer	5 days	°C	+ 15 up to + 25
	4 days		+ 2 up to + 8
	upon request		< - 15



Pallet Shipper 1210			
CHARACTERISTICS		U/M	VALUE
Dimensions product space	LENGTH	mm	1242
	WIDTH		842
	HEIGHT		1160
Outer dimensions	LENGTH	mm	1450
	WIDTH		1050
	HEIGHT		1573
Payload volume		liters	aprox. 1210
Temperature winter	4,5 days	°C	+ 15 up to + 25
	5 days		+ 2 up to + 8
	upon request		< - 15
Temperature summer	5 days	°C	+ 15 up to + 25
	5 days		+ 2 up to + 8
	upon request		< - 15

